



XPG PYLON POWER SUPPLY

XPG PYLON offers more than just a BRONZE-certified Power Supply. Featuring DC-to-DC circuit design, 80 PLUS BRONZE and Cybenetics ETA and LAMBDA certifications, Main Japanese Capacitor and up to 8 industrial protections, XPG PYLON BRONZE Series is ideal for most users.

DC-to-DC in BRONZE GRADE



XPG PYLON features DC-to-DC 100% +12V Full Power in all PYLON series, ensuring power delivery remains consistent, power-efficient, and capable of supporting mid to high-end graphic cards and CPUs.

80 PLUS BRONZE CERTIFIED



XPG PYLON is an 80 PLUS BRONZE certified power supply unit guarantees energy efficiency at 20%, 50% and 100% of rated load. XPG PYLON also complies with ErP 2014 Lot 3 Regulation, and is design for steady 24/7 Continuous Power system operation.



Cybenetics ETA and LAMBDA CERTIFIED



XPG PYLON SERIES is certified by Cybenetics for its efficiency and noise level, scoring at the top of its category in both ETA and LAMBDA standards.

120mm FDB FAN



Equipped with 120mm Fluid Dynamic Bearing (FDB) Fan, the fan control starts at around 700 RPM (25°C ambient) and maintains its low fan speed until around 70% power load. The operation environment is quiet and efficient and prolongs its life expectancy.

MAIN JAPANESE CAPACITOR at 105°C GRADE



High quality 105°C Main Japanese Capacitor in XPG PYLON BRONZE Series ensures great durability and offer highest stability and reliability.

8 INDUSTRIAL-LEVEL PROTECTIONS



XPG PYLON is designed for both efficiency and safety, and backed up by a 5-Year warranty. Fundamental protections such as OPP, UVP, OVP, SCP, OTP and OCP are all included, as well as NLO and SIP which are found in mid to high-end PSU, offering one of the highest standards of stability and security in this category.



Features

- DC-to-DC Converters
- 80 PLUS BRONZE Certified
- Cybenetics ETA / LAMBDA Certified
- Continuous Power for 24/7 system operation
- High Current +12V rail system compatibility
- Main Japanese Capacitor
- 120mm FDB Silent-Fan Performance
- Multiple PCI-E 2.0 6+2 Pin Connectors
- Industrial-Level Protections OVP, OPP, SCP, OCP, UVP, OTP, NLO, SIP
- Complies with ErP 2014 Lot 3
- RoHS Compliance

Specifications: XPG PYLON BRONZE PSU

Dimension L x W x H	140 x 150 x 86mm
80 PLUS Rating	BRONZE
ATX Version	Intel V2.52
Protection	OCP / OVP / UVP / OPP / SCP / OTP / NLO / SIP
Certification	CE / UKCA / CB / FCC (IC) / EAC / CCC / TUV / cTUVus / TUV S-Mark / RCM / NOM / BSMI / BIS/ KC
PFC	> 0.99
Input Voltage	100-240V
Input Current	<u>450W</u> : 7-3.5A
	<u>550W</u> : 8-4A
	<u>650W</u> : 10-5A
	<u>750W</u> : 10-5A
Input Frequency	50Hz - 60Hz
Operating Temperature	50°C
Warranty	5 Years

Specifications : Fan		Specifications: Connectors		
Fan Size	120mm	Motherboard 20+4 Pin Connector	450W/550W : x1 650W/750W : x1	
Fan Bearing	FDB (Fluid Dynamic Bearing)	ATX 12V 8 (4+4) Pin Connector	450W/550W : x1 650W/750W : x2	
Fan Speed	2,000 RPM	PCI-E 6+2 Pin Connector	450W/550W : x2 650W/750W : x4	
MTBF 25°C	100K hours at full load	SATA 5 PinConnector	450W/550W : x5 650W/750W : x8	
		Peripheral (Molex) 4 Pin Connector	450W/550W : x2 650W/750W : x3	
		Floppy 4 Pin Connector	450W/550W : x1 650W/750W : x1	



Package Contents





Product Category	XPG PYLON 450		
EAN Code	4710273776699		
<u>REGION</u> (Part Number)	<u>Australia</u> 75260105	<u>China</u> 75260106	<u>Japan</u> 75260107
	<u>Korea</u> 75260108	<u>South Africa</u> 75260109	<u>Taiwan</u> 75260110
	<u>United States</u> 75260111	United Kingdom 75260112	European Union 75260113
	<u>Brazil</u> 75260161	<u>Argentina</u> 75260168	

Product Category	XPG PYLON 550		
EAN Code	4710273776781		
REGION (Part Number)	Australia 75260114	<u>China</u> 75260115	Japan 75260116
	<u>Korea</u> 75260117	<u>South Africa</u> 75260118	<u>Taiwan</u> 75260119
	<u>United States</u> 75260120	<u>United Kingdom</u> 75260121	European Union 75260122
	Brazil 75260162	Argentina 75260169	

Product Category	XPG PYLON 650		
EAN Code	4710273776873		
<u>REGION</u> (Part Number)	<u>Australia</u> 75260123	<u>China</u> 75260124	<u>Japan</u> 75260125
	Korea 75260126	South Africa 75260127	Taiwan 75260128
	<u>United States</u> 75260129	<u>United Kingdom</u> 75260130	<u>European Union</u> 75260131
	<u>Brazil</u> 75260163	<u>Argentina</u> 75260170	

Product Category	XPG PYLON 750		
EAN Code Model	4710273776965		
REGION (Part Number)	<u>Australia</u> 75260132	<u>China</u> 75260133	<u>Japan</u> 75260134
	<u>Korea</u> 75260135	<u>South Africa</u> 75260136	<u>Taiwan</u> 75260137
	<u>United States</u> 75260138	<u>United Kingdom</u> 75260139	European Union 75260140
	<u>Brazil</u> 75260164	Argentina 75260171	